



LED Meteor Lights Specification (APP-LSX354W26-10)

1. Features:

- ✧ Low power consumption, vivid lighting color
- ✧ Defending Electricity Leakage
- ✧ Easy to install, maintenance free
- ✧ Big viewing angle, long lifespan
- ✧ Green product, compliant with ROHS and CE.


2. Application:

- ✧ Christmas decoration

Picture:



3. Package Dimensions (mm):



1. All dimensions are in millimeters
2. Tolerance is 0.5 mm unless otherwise noted
3. Voltage supply: 5V DC
4. Power adapter: AC 110V /220V to DC 5V is included.



APPLED ELECTRONICS ENTERPRISES CORPORATION

TEL: (02) 2545881 / 6224308 FAX: (02) 2545881 MOBILE: (0917) 8878378 / (0922) 8878374

STALL NO. 2M-15 168 MALL SOLER ST., BINONDO, MANILA, PHILIPPINES 1006

URL: WWW.LED.PH

EMAIL: APPLED888@YAHOO.COM.PH

4. APP-LSX354W26-10 Characteristics:

LIGHT EMITTING DIODE LAMPS			
Absolute maximum ratings		(Ta=25°C)	
	Symbol	Value	Unit
Forward current	If	30	mA
Reverse voltage	Vf	5	V
Power dissipation	Pd	110	mW
Operating temperature range	Top	-25~+80	°C
Storage temperature range	Top	-30~+80	°C
Peak pulsing current (1/8 duty f=1KHz)	If	125	mA

5. Absolute Maximum Rating at TA=25°C:

Part Number	Emitting Color	Input Voltage	Wattage	Waterproof Degree	LED Quantity	Wavelength (nm)	Luminous flux (Lm/set)		Continuous Connect (set)
							MIN	MAX	
APP-LSX354 R26-10	Red	DC5V	2.75W	IP 35	260 pcs	620-635	16	56	3
APP-LSX354 G26-10	Green		2.75W	IP 35	260 pcs	515-530	25	50	3
APP-LSX354 B26-10	Blue		2.75W	IP 35	260 pcs	465-475	20	60	3
APP-LSX354 Y26-10	Yellow		2.75W	IP 35	260 pcs	585-595	30	80	3
APP-LSX354 W26-10	Pure White		2.75W	IP 35	260 pcs	/	150	200	3
APP-LSX354 WW26-10	Warm White		2.75W	IP 35	260 pcs	/	140	190	3



APPLED ELECTRONICS ENTERPRISES CORPORATION

TEL: (02) 2545881 / 6224308 FAX: (02) 2545881 MOBILE: (0917) 8878378 / (0922) 8878374

STALL NO. 2M-15 168 MALL SOLER ST., BINONDO, MANILA, PHILIPPINES 1006

URL: WWW.LED.PH

EMAIL: APPLED888@YAHOO.COM.PH

6. Test pattern:



7. Packaging:

Net (g)	Inner white box Size (CM)	Qty/box	Outer carton Size (CM)	Qty/Carton	Gross Weight (kg)
490	56.5*8.5*4.0	1 set	60*30*35	32 sets	17.7

